
| Notice of Allowability   | Application No.  | Applicant(s)                     |  |
|--|--|----------------------------------|--|
|  | 10/092,907   | LEVINE ET AL.                    |  |
|  | Examiner   | Art Unit                         |  |
|  | Fenn C. Mathew   | 3764                             |  |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.   |  |                                  |  |
| 1. This communication is responsive to <u>05/24/2006</u> .   |  |                                  |  |
| 2. The allowed claim(s) is/are 2 and 7.  |  |                                  |  |
| <ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>   |  |                                  |  |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.   |  |                                  |  |
| 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.   |  |                                  |  |
| <ul> <li>5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> <li>6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ul> |  |                                  |  |
| Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material   | 5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat 08), 7. ☐ Examiner's Amendr 8. ☑ Examiner's Stateme 9. ☐ Other | (PTO-413),<br>te<br>nent/Comment |  |
|  |  |                                  |  |

Art Unit: 3764

### **DETAILED ACTION**

## Allowable Subject Matter

1. Claims 2 and 7 are allowed. The following is an examiner's statement of reasons for allowance: Prior art stretching devices are old and well known. Ecks (U.S.




2,433,548) teaches a flexible

horizontal surface and a pulley attached to a member attached to the horizontal surface. Ecks fails to teach a pair of pulley with a pair of cables attached to opposite ends of the flexible horizontal surface.

Art Unit: 3764

7


## 2. Gin (U.S. 4,451,034)



likewise teaches a back

stretching device including an arcuate member and actuating device to change the angle of arc. Gin fails to teach or make obvious a motor, a shaft, and a pair of pulleys respectively attached to opposing ends of a flexible sheet via a pair of cables.


# 3. Linares (U.S. 6,569,069)



likewise teaches a

Art Unit: 3764

stretching device including a motor actuating a pulley and cable which may be used to change the arc of an approximately horizontal. Linares fails to teach a pair of pulleys respectively attached to opposing ends of a flexible sheet via a pair of cables.




### 4. McMillen (U.S. 6,676,214)

teaches an example

of a lumbar support including a back engaging member, a motor, a pulley operatively connected to the motor, and a cable having one end attached to the pulley, and a second end attached an end of the flexible sheet in order to change the arc of the support. McMillen fails to teach a second pulley having a second cable connected to the second end.

Art Unit: 3764

#### 5. The prior art of record fails to teach the device as pictured



including a horizontal surface, a

flexible sheet engaging the horizontal surface, a motor, a shaft, a pair of pulleys connected to the shaft, cables having a first end engaging each of the pulleys, and second ends engaging each end of the flexible sheet respectively in order to allow a user to actuate the device causing a uniform increase in the arc of the stretching device.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Fenn C. Mathew whose telephone number is (571) 272-4978. The examiner can normally be reached on Monday - Friday 9:00am - 5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory Huson can be reached on (571) 272-4887. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3764

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

July 7, 2006

May I har ?

Page 6

TECHNOLOGY CENTER 3700